

Ember Quilt Pattern

Quilt Pattern by Three Birds and Stitches Throw size 55" x55"



threebirdsandstitches.com / @threebirdsandstitches / #emberquiltpattern 2021 All rights reserved. Duplication of any kind is prohibited

Ember Quilt 55" x 55"



	Yardage	Cutting Instructions		
Fabric A	FQ or 1/4 yd	(2) 9" Sq. (1) 6.25" Sq.		
Fabric B	1 3/8 Yd	(8) 9" Sq. (1) 6.25" Sq. (6) 3" x WOF		
Fabric C	1/4 Yd	(2) 9" Sq. (8) 4" Sq.		
Fabric D	1/4 Yd	(2) 9" Sq. (8) 4" Sq.		
Fabric E	3/4 Yd	(8) 9" Sq. (20) 4" Sq.		
Fabric F	1/2 Yd	(5) 9" Sq.		
Fabric G	1/4 Yd	(2) 9" Sq. (8) 4" Sq.		
Fabric H	1/4 Yd	(3) 9" Sq. (4) 4" Sq.		
Fabric I	1/4 Yd	(4) 9" Sq		
Binding	1/2 Yd	(6) 2.25" X WOF		
Backing	4 Yards			


Coloring Diagram

Assumed WOF is 42" for Measurements WOF - Width of Fabric F8- Fat Eighth 9" x 22" FQ - Fat Quarter 18" x 22" RST- Right sides together

Tools Needed:

- Rotary Cutter
- Ruler
- Cutting mat
- Mini Iron
- Wool Pressing mat

Skill Level: Beginner



	Γ Color ombo		Total # Unfinished	HST Color Combo			Total # Unfinished
100	B/F	(1) 9" Sq. Each	8		E/I	(1) 9" Sq. Each	8
	C/I	(2) 9" Sq. Each	16		E/F	(2) 9" Sq. Each	16
W	A/B	(1) 6.25" Sq Each (1) 9" Sq Each	12		G/I	(1) 9" Sq. Each	8
V	B/H	(1) 9" Sq. Each	8		B/D	(2) 9" Sq. Each	16
	A/E	(1) 9" Sq. Each	8		E/H	(1) 9" Sq. Each	8
	F/G	(1) 9" Sq. Each	8	****	B/E	(3) 9" Sq. Each	24
	F/H	(1) 9" Sq. Each	8				

HST 4 at a time

Take the **A 6.25"** and the **B 6.25"** squares and lay them on top of each other right sides facing. Sew a 1/4" seam on all four side of the **6.25" Square.**



Using a Rotary cutter cut from diagonal to diagonal on all four corners. Press open the four triangles and trim to 4" Square.





HST Construction (8 at a time)

Using the chart above pair each of the fabric combos needed by following the steps below to make 8 at a time HST's. See Diagram below for reference.

Step 1:

Starting with the first combo, for example combo **B/F, take the B 9" sq.** and mark a diagonal line using a Hera Marker, Fabric Pen or Pencil from corner to corner on all four corners of the 9" Squares. see red lines for reference. Place the **B 9" sq.**, right sides facing, on top of the **F 9" sq.** and pin in place.

Step 2:

Sew a 1/4" to the right and left of both marked lines, see red dashed lines for reference.

Step 3:

Fold the squares in half vertically and horizontally and finger press, see red lines. On the crease line, line up the ruler and cut in both directions. There should be four separate squares.


Step 4:


Take each of the four squares and cut down the center as the red line indicates, in between the sewn 1/4" seams. Press open the HST's, pressing to the darker side. Trim the HST's by lining the 45 degree angle on the seam line, making sure the HST will measure 4" x 4" inches. Set the unfinished HST's aside and repeat for each color combo. The total number of unfinished HST's needed per combo are listed in the chart above. Repeat steps 1-4 until all HST combinations above are made.



Step 2







3

Quilt Construction

Using the Row Diagram below follow the listed color combo and stack each row 4 at a time with the 4" HST's and 4" Squares. Starting with Row 1 chain piece from left to right each of the 4 stacks per row. Repeat for rows 2-7.

Row Diagram: Row 1 A/E E/F F/G B/E В/Н Н Row 2 A/B G G/I C/I С B/H Row 3 B/E B/E B/D D C/I B/E Row 4 E/H E/I B/D Ε B/D G/I Е Row 5 F/H C/I B/D B/E G F/G Row 6 B/F C/I E/I Е E/F E/F Row 7 E/H B/E A/B A/E F/H


Finished Quarter Square:

Once all the rows are finished, snip them apart and start sewing each row to the next, nesting seams as you go. It helps to pin each to prevent shifting. Repeat three more times until there is four completed square sections like the graphic below measuring unfinished **24.5**" x **24.5**"



Quilt Top Construction:

Rotating three of the four sections to keep the center in tact sew all four sections together using a 1/4" seam to measure unfinished **49" x 49"**.



Adding Borders:

- To attach the border, start by measuring the width of the left and right sides and down the center of the quilt top noting all three dimensions to find the average. Sew each of the **Fabric B, 3 x WOF** strips together and cut down two strips to that average width. Pin to the outer two edges of the quilt using a 1/4" seam and press open.
- Repeat the same steps as above for the top and bottom **Fabric B, 3" x WOF** strips by again finding the average width.



Finish Quilt Top

- Make a quilt sandwich by layering the backing, then batting and then quilt top.
- Baste Quilt in Preferred Method of Pin or Spray
- Machine or Hand quilt in desired pattern and Bind to Finish

For Longarm Quilting Services Visit <u>www.threebirdsandstitches.com</u>

Finished Size: 55"x 55"

